

National Weather Service Storm Data and Unusual Weather Phenomena



Location	Date	Time Local/ Standard	Path Length (Miles)	Path Width (Yards)	Numb Pers Killed		Estim Darr Property	ated age Crops	Character of Storm	April 200
ARKANSAS, East										
St. Francis County Colt to Caldwell	07	1845CST 1850CST			0	0	1.5K		Hail(1.75)	
	Hail ra	anged in size fro	m dime to golf	ball.						
St. Francis County Forrest City	07 Sever	1850CST 1855CST al trees and power	er lines were b	lown down	0	0	10K		Thunderstorm Wi	nd
Cross County	Bever	ar trees and powe	or filles were of	lown down.						
Parkin	07	1900CST 1905CST			0	0	10K		Thunderstorm Wi	nd
	Some	trees and power	lines were kno	ocked down.						
Crittenden County Horseshoe Lake	07	1940CST 1945CST			0	0	0.01K		Hail(0.75)	
Clay County Corning to 4 E Corning	16	1648CST 1700CST			0	0	0.35K		Hail(1.25)	
	Hail ra	anged in size fro	m quarter to ha	alf dollar.						
Randolph County Maynard	16	1745CST 1750CST			0	0	0.01K		Hail(0.75)	
Clay County										
2 N Corning	16	1750CST 1755CST			0	0	0.01K		Hail(0.75)	
Clay County Mc Dougal	16	1820CST 1825CST			0	0	0.10K	25K	Hail(1.00)	
	The h	ail knocked leave	es off of severa	al trees and d	amaged a wl	heat crop.	•			
Clay County										
Hickoria	16	1900CST 1905CST			0	0	0.25K		Hail(1.25)	
ARZ028	Mississippi									
	20	1200CST 1300CST			0	0	20K		High Wind	
	High	winds moved thr	ough Mississip	opi County kı	ocking dow	n several	trees and da	maging a t	few homes.	
MISSISSIPPI, North										
Calhoun County										
Reid	01 Sever	2245CST 2250CST al trees were blo	wn down		0	0	5K		Thunderstorm Wi	nd
Chi-hC	Sever	ar trees were blo	wii dowii.							
Chickasaw County Houston to Okolona	01	2302CST 2315CST			0	0	0.02K		Hail(0.75)	
Monroe County										
1 N Bigbee to Becker	01 Severa	2325CST 2335CST al trees were blo	wn down betw	een Bigbee a	0 nd Becker.	0	15K		Thunderstorm Wi	nd
MSZ024	Monre	oe		-						
	03 06	0100CST 1200CST	er two days cau	ised the Tom	0 bigbee Rive	0 r to flood	1K . Many road:	s were flo	Flood oded in the city of Am	ory.



National Weather Service Storm Data and Unusual Weather Phenomena



		Time	Path	Path	Numb Pers	per of	Estimated	April 2000
Location	Date	Local/ Standard	Length (Miles)	Width (Yards)	Killed	Injured	Damage Property Crop	S Character of Storm
MISSISSIPPI, North								
De Soto County								
South Haven	07	2005CST 2010CST			0	0	0.01K	Hail(0.75)
Panola County								
Batesville	07	2105CST 2110CST			0	0	0.10K	Hail(1.00)
Panola County		*40 E CC					4 ====	
Batesville	07	2105CST 2110CST			0	0	15K	Thunderstorm Wind
		opy was blown of nces. Several tree			ne had its f	ront porch	n blown off. Wind	ows were broken at several businesses and
Lafayette County								
Abbeville to Oxford	07	2115CST 2125CST			0	0	0.02K	Hail(0.75)
Prentiss County								
Booneville	27	1625CST 1630CST			0	0	0.01K	Hail(0.75)
Alcorn County								
Corinth	27	1720CST 1725CST			0	0	5K	Thunderstorm Wind
	A few	trees were knock	ed down.					
Lee County								
Guntown to Tupelo	27	1828CST 1845CST			0	0	0.02K	Hail(0.75)
MISSOURI, Lower								
Dunklin County								
Frisbee to Holcomb	16	1815CST 1825CST			0	0	0.85K	Hail(1.75)
	Hail ra	anged in size fron	n quarter to go	lfball.				
Pemiscot County								
Peach Orchard	16	1835CST 1840CST			0	0	0.10K	Hail(1.00)
Dunklin County								
Campbell	16	1910CST 1915CST			0	0	0.10K	Hail(1.00)
Pemiscot County								
Hayward	16	2000CST 2005CST			0	0	0.05K	Hail(0.88)
	Some	leaves were torn	off of trees by	the hail.				
TENNESSEE, West								
TNZ001-004	Lake -	· Henry						
	11	0200CST 0500CST			0	0	20K	High Wind
	Strong winds which may have reached 45 mph blew down several trees in Lake and Henry counties. One fallen tree damaged a motor home at Reelfoot Lake State Park. Four fishing boats were also sunk by the winds.							
Lake County								
Tiptonville	16	2040CST 2045CST			0	0	500K	Hail(1.75)
	Many		off trees by t	he hail. Man	y cars and r	oofs were	damaged by the h	ail as well.



National Weather Service Storm Data and Unusual Weather Phenomena



Location	Date	Time Local/ Standard	Path Length (Miles)	Path Width (Yards)	Numb Perso Killed		Estimated Damage Property Crops	April 2000 Character of Storm	
TENNESSEE, West									
Obion County									
Samburg	16	2058CST 2105CST			0	0	5K	Hail(1.75)	
TNZ021	Carrol	1							
	20	1500CST 1600CST			0	0	10K	High Wind	
	A barn which had been standing for more than 35 years was blown down by high winds.								
Weakley County									
Sharon	27	1513CST 1520CST			0	0	0.01K	Hail(0.75)	
Tipton County									
Covington	27	1530CST 1535CST			0	0	0.01K	Hail(0.75)	
Carroll County									
Huntingdon	27	1535CST 1540CST			0	0	10K	Thunderstorm Wind	
	Severa	l trees and power	lines were blo	own down.					
Gibson County									
Milan	27	1545CST 1550CST			0	0	0.01K	Hail(0.75)	
Madison County									
Jackson	27	1554CST 1600CST			0	0	0.01K	Hail(0.75)	
Fayette County									
Gallaway to Braden	27	1600CST 1605CST			0	0	0.02K	Hail(0.75)	
Chester County									
Henderson	27	1623CST 1630CST			0	0	0.01K	Hail(0.75)	
Menairy County									
Bethel Spgs	27	1730CST 1735CST			0	0	0.01K	Hail(0.75)	